



● Cargo Container Type A/7A and IP-2 DOT Certified

Specifications

- 37 cubic yard capacity
- Outside dimension 238 1/2" L x 96" W x 102" H
- Inside dimension 227 1/2" L x 88" W x 91" H
- Top lid opening same as inside dimension
- Open top and end-loading capability
- Door closure – side swing slammer safety system
- 56,500 lbs. maximum net weight capacity (actual weight will vary per transportation method)
- 10,700 lbs. tare weight

Equipment Features

- MHFU Reporting Marks
- Containers are certified for international transport by container ship, barge, rail or flatbed truck
- Container can be lifted by crane, sidelifter, forklift, roll-off truck or container handler
- Equipped with 10,000 lb. D-rings installed in the interior for securement of cargo
- Gasketed watertight design and construction

Equipment Advantages

- Versatile container designed for packages or components
- Custom securement systems available to aid in the transport of any type of package or cargo
- Container can be used as a DOT-approved shipping container for smaller, non-compliant packages
- Lease or purchase options

Certifications

Container is manufactured under a Nuclear Quality Assurance (NQA-1) Program, which provides assurance of conformity to the following certifications:

ABS/ AAR/ US DOT Industrial Package 1 (IP-1), Industrial Package 2 (IP-2) and Type A/7A under the following certification and testing: 49 CFR 173.410, 49 CFR 173.411, 49 CFR 173.412, 49 CFR 173.415, 49 CFR 173.461, 49 CFR 173.462, 49 CFR 173.465, and 49 CFR 178.350.

Light, Hydrostatic & Water Penetration Testing

- Internally water tested: The containers are completely filled with water to determine that all welds and seals are watertight. The test is documented with a water test certificate.
- Light test: All containers with lids must pass an internal light test. Under procedure, an inspector is placed into a closed container to verify container is light tight. The test is documented with a light test certificate.
- External spray test: All containers with lids must pass an external "weather tightness" test in accordance with procedures. The test is documented with an external spray test certificate.

Security & Safety

Security seals are available for purchase in various styles that deter unauthorized access. Many safety features are engineered into our equipment, containers and packages and are referenced in the specifications, equipment features and advantages.